



One Broadway New York, NY 10004-1050 212.425.7200 Fax 212.425.5288



Fax Transmission

From:

Connie Siler

Date:

July 31, 2002

Direct Dial:

212.908.6496

Fax:

212.425.5288

Client/Matter: 10191.2276

Total number of pages: 15

(including cover)

Please deliver to:

Name	Company	Fax	Phone	
		703 746-4060	\ 	
USPTO/OIPE		7,00		

Comments:

Serial No. 10/091/057

□ Original will not follow □ Original will follow by □ Regular Mail □ Overnight Delivery ☐ Hand

The information contained in this facsimile transmission, including any attachments, is subject to the attorney-client privilege, the attorney work product privilege or is confidential information intended only for the use of the named recipient. If the reader of this Notice is not the intended recipient or the employee or agent responsible for delivering this transmission to the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone, so that we may arrange for its return or destruction at our cost. Thank you.

New York Washington, DC Silicon Valley



VIA FACSIMILE - 1 703 746-4060

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Hurich et al.

Serial No.

10/091,057

Filed

March 4, 2002

For

METHOD OF SAFEGUARDING PROGRAM

PARTS etc.

Docket No.

10191/2276

TRANSMITTAL

Pursuant to the Request For Substitute Papers mailed July 26, 2002, enclosed are complete and accurate copies of the papers filed on July 3, 2002, namely, Response to Notice To File Missing Parts, Declaration and Power of Attorney, Assignment Cover Sheet and Assignment document.

The enclosed papers are a complete and accurate copy of the papers requested.

Respectfully submitted,

KENYON & KENYON

Dated: Allaust 9, 2002

CHRITPICATION OF FACSIMILE TRANSMISSION



United States Patent and Tradework Gradew

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20251 www.uspto.gov

Application Number | Filing Date | First Named Applicant | Atty. Docket No. 10/091,057 | 03/04/2002 | Hurich, Martin | 10191/2276

JUL 3Ú

26646 KENYON & KENYON ONE BROADWAY NEW YORK NY 10004

Title: Method of safeguarding program parts which are critical to safety against inadvertent execution, and a memory device for implementing the method.

Date Mailed: 07/26/2002

Request for Substitute Papers

The papers filed on <u>07/03/02</u> (certificate of mailing dated <u>06/28/02</u>) are no longer in condition to become part of the permanent records of the United States Patent and Trademark Office (USPTO) for this application (37 CFR 1.52(a)) due to the United States Postal Service sanitization process.

The USPTO requests that applicant provide a copy of the above-identified papers (except for any U.S. or foreign patent documents submitted with the above-identified papers) with a statement that such copy is a complete and accurate copy of the above-identified papers (signing and returning a copy of this notice will provide such a statement). The reply to this letter should be submitted to the USPTO by facsimile at the number indicated 703-746-4060(OIPE).

Alternatively, the reply to this letter may be hand-carried to the Customer Service Window located in Room 1B03 of Crystal Plaza Building 2, Arlington, Virginia, 22202.

The USPTO strongly prefers that the reply to this letter be submitted by facsimile. However, if applicant cannot submit the reply to this letter by facsimile (or hand-delivery), the reply may be mailed to: Box Duplicate OIPE, U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202-2327.

This letter is not a notice under 37 CFR 1.251: However, failure to timely replay to this notice within two (2) weeks of the date of receipt of this letter may result in the USPTO issuing a notice under 37 CFR 1.251. A copy of this notice should be included with the reply.

The enclosed i	naners are a	complete and	accurate copy	of the	above-identified	papers.
THE CHOICISCA	papers are a	compicte and	accarate copy	A. H.A.	## #	P-P

Name: Richard L. Mayer

Registration No.: 22,490

Signature:

Date: AUGUST 9, 200

Received from < 2124255288 > at 8/9/02 3:25:47 PM [Eastern Daylight Time]





U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

RESPONSE TO NOTICE TO FILE MISSING PARTS OF APPLICATION --FILING DATE GRANTED Filing Date Application Number

Docket Number: 10191/2276

10/091,057

March 4, 2002

Examiner Not Yet Assigned An Unit 2185

Invention Title

METHOD OF SAFEGUARDING PROGRAM PARTS WHICH ARE CRITICAL TO SAFETY AGAINST INADVERTENT EXECUTION, AND A MEMORY DEVICE FOR IMPLEMENTING THE METHOD

Inventor(s)

Martin HURICH et al.

Address to:

Commissioner for Patents Washington D.C. 20231 **Box Missing Parts**

Thereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Box Missing Parts, Washington, D.C. 20231 on

Signature

To complete the filing requirements for the above-referenced application under 37 C.F.R. § 1.51, enclosed please find a signed Declaration and Power of Attorney. A copy of the Notice to File Missing Parts of Application mailed April 1, 2002 is also enclosed.

- The Commissioner is hereby authorized to charge payment of the 37 C.F.R. § 1.16(e) surcharge fee of \$130.00 and any additional fees to the deposit account of Kenyon & Kenyon, deposit account number 11-0600.
- Applicants hereby request a one-month extension of time for responding to the Office Action 2. of April 1, 2002, which set a two-month period for response. The extended period for response expires on July 1, 2002. Please charge the \$110.00 extension fee to the deposit account of Kenyon & Kenyon, deposit account number 11-0600.
- A duplicate of this sheet is enclosed.

Dated: 6(28/02

Richard L. Mayer, Reg. No. 22,490

KENYON & KENYON

One Broadway New York, N.Y. 10004

(212) 425-7200 (telephone)

(212) 425-5288 (facsimile)